

Sub Node	Sub Node 2	Sub Node 3	Sub Node 4	Sub Node 5	Sub Node 6	Data Type	Example	Description	Availability
Standings Wrapper 1									
sport	sportId					integer	24		
	name					string	Camogie		
	league	leagueId				integer	300		
		name				string	Gaelic Athletic Association		
		abbreviation				string	GAA		
		displayName				string	Gaelic Athletic Association	If null, node will not exist	
		season	season			integer	2014		
			name			string	2014 GAA		
			isActive			boolean	true		
			eventType	eventType		integer	2	see eventTypes decode endpoint	
				name		string	Tournament		
			eventRound	eventRoundId		integer	1		only appears when applicable
				name		string	Round Robin		
				conferences[]					
Standings Wrapper 2									
conferences[]	conferenceId					integer	2	will appear as null when conferences are not applicable	When an league contains group standings, group information is contained in divisions.divisionId/name/abbreviation
	name					string	Group 2	will not appear when conferenceId is null	
	abbreviation					string	Group 2		
	divisions[]	divisionId				integer		will appear as null when divisions are not applicable	
		name				string		will not appear when divisionId is null	
		abbreviation				string			
		teams[]							
Standings Wrapper 3									
teams[]	teamId					integer	12409		
	location					string	Cork		
	nickname					string			not typically available for camogie; will not appear when not available
	abbreviation					string	CORK		
	displayName					string			not typically available for camogie; will not appear when not available
	record	wins				integer	1		
		losses				integer	1		
		ties				integer	1	will not appear if null	
		percentage				string (formatted decimal)	0.500	will not appear if null (0-0 record results in null percentage)	
		gamesPlayed				integer	3		
	league	rank				integer		value may overlap with other values if teams are actually tied	only for leagues/seasons without conferences/division, and/or also typically include league rankings
		seed				integer		value will always be unique amongst teams within league	
		gamesBehind				decimal		will not appear if null	
	conference	rank				integer	4	value may overlap with other values if teams are actually tied	only for leagues/seasons with conferences
		seed				integer	5	value will always be unique amongst teams within conference	
		gamesBehind				decimal		will not appear if null	
	division	rank				integer		value may overlap with other values if teams are actually tied	only for leagues/seasons with divisions
		seed				integer		value will always be unique amongst teams within division	
		gamesBehind				decimal		will not appear if null	